











### **BLACK SPLITTER**

SB 3 - 12 metric tons

Weight: 240 kg

Cone: chromium steel. quadruple shear thread, 300 mm diameter, two parts, 48 mm thread pitch

Hydraulic Motor: planetary gears

Torque: max. 12000 Nm

Motor Shaft:

100 mm diameter

#### **BLACK SPLITTER**

SBX 12 - 28 metric tons

Weight: 620 kg

Cone: chromium steel, quadruple shear thread, 400 mm diameter, 48 mm thread pitch

Hydraulic Motor: planetary gears

Torque:

max. 30000 Nm

Motor Shaft:

#### **BLACK SPLITTER** SBXX 25-40 metric tons

Weight: 890 kg

Cone: chromium steel, quadruple shear thread, 400 mm diameter, 48 mm thread pitch

Hydraulic Motor:

planetary gears

Torque:

max. 60000 Nm

Motor Shaft:



WHICH ACCESSORY **FOR THE** CONE SPLITTER?

**CONE SPLITTER** Stump Grinder
Steel Broom
Screening Basket
Mixing Drum
Auger Adapter with U-Joint
Reinforced Auger Adapter
Auger with Cutting Blades
Auger with Carbide Teeth
Plant Auger & Adapter
Rotary Cuttivator
Rotary Cuttivator Special
Add-On Adapter
Rake optional with 5 or 7 prongs
Log Grab
Ground Screw & Adapter S1 S1X S2 S2X SG1 SG3 SB SBX SBXX \( \frac{1}{4} \) \( \frac{1}{ 1 1 1 1

# BLACKSPLITTER THE POWER TO PROCESS

## **BLACKSPLITTER**

THE POWER TO PROCESS

Split Oversize Timber

Split Tree Stumps

Split Tree Roots

Convert Waste Timber Into Fuel Wood

**Handle Timber** 



Exac-One Ltd The Mount Buildings **Tunnel Hill** Upton on Severn Worcestershire WR8 0QL UK

+44 (0)1684 593052

www.exac-one.co.uk info@exac-one.co.uk