

# MIDI-MOWER

**Vegetation Control**  
**Site Clearance**  
**Thinning Operations**  
**Embankment Maintenance**  
**Hedges, Scrub, Grass**  
**Boundary Restoration**  
**Woodland Maintenance**

Range of mowers to suit excavators from 6-14 tonnes and also tractors, loaders and skid steers

Cut capability for grass and vegetation up to 90mm diameter

Casing manufactured using Domex 700 steel for exceptional strength and durability

Piston motors for maximum power and efficiency

Adjustable rear roller

Choice of flail options

Options – floating link, flow control valve, jack stand

**“Perfect Partners”**



Exac-One Ltd  
The Mount Buildings  
Upton on Severn  
Worcs  
WR8 0QL  
United Kingdom

Tel: +44(0)1684 593052  
Fax: +44(0)1684 592249  
info@exac-one.co.uk  
www.exac-one.co.uk

## Midi Mower Technical

		TE100CL	TE120CL	TE120CP	TE160CP
Excavator Weight Range	tonnes	6-10	6-10	8-12	10-15
Mulcher Weight w/o Bracket	kg	315	345	490	630
Oil flow requirement	l/min	60-70	60-70	85-100	85-100
Max Hyd Circuit pressure	bar	230	230	220-250	220-250
Cut width	mm	1050	1250	1250	1600
Max cut diameter	mm	70	70	100	100
Total Width	mm	1250	1400	1450	1850



Exac-One Ltd  
The Mount Buildings  
Tunnel Hill  
Upton on Severn  
Worcs  
WR8 0QL  
United Kingdom

Tel: 01684 593052  
Fax: 01684 592249  
info@exac-one.co.uk  
www.exac-one.co.uk

## Midi Mower Price List

Model	Price (£)
TE100CL	7414.00
TE120CL	8123.00
TE120CP	9671.00
TE160CP	10719.00

### Please note:

Price includes standard mounting bracket/ interface and hoses (excluding quick release fittings)

Prices do not include delivery

All prices are subject to vat at 20%

Aug 2023