



TREE LOPPER



TREE LOPPER
A Cut Above

MANUFACTURING CAPABILITY COMES ATTACHED



Exac-One has been dedicated to the world of excavator attachments since 2002 and today is one of the UK's leading suppliers, offering an extensive product range. It leads the way in design innovation to produce attachments which improve productivity, efficiency and safety.

		TL150	TL250	TL350
Excavator weight	tonnes	1.5 - 4	3.5 - 8	7 - 14
Shear weight	Kgs	140 - 215	270 - 360	520 - 625
Rotation	Deg	360	360	360
Cut dia hardwood	mm	150	250	350
Cut dia softwood	mm	200	300	400
Oil flow (minimum)	L/min	25	45	60
Oil Pressure	Bar	200 - 230	200 - 230	200 - 230
Dimension A	mm	1030	1450	1700
Dimension B	mm	730	900	1150
Dimension C	mm	350	480	550
Dimension D	mm	320	350	430



TREE LOPPER

Tree-Lopper offers class leading cutting capability without imposing destabilising loads on the excavator. Maximum cutting performance is delivered at standard circuit pressure of 230 bar.

Designed as a 'plug and play' excavator attachment, Tree-Lopper makes timber felling, handling and processing simple, safe and efficient.

The unique design minimises blade 'pinch' to deliver maximum cutting capability.

Tree-Lopper makes handling and processing of felled timber efficient and safe. Waste timber including buildings, structural frames, pallets etc are no problem.

Low build height and streamlined design for easy access to the work

Tree-Lopper is manufactured from exceptionally tough materials to give many years of trouble-free operation.



TREE LOPPER

A CUT ABOVE

Tree Lopper *Shear Perfection*

- Felling, pruning, handling, processing, logging.
- Waste timber processing.
- Boundary restoration.
- Woodland maintenance.
- Thinning & Coppicing.



Exac-One Ltd
The Mount Buildings
Tunnel Hill
Upton on Severn
Worcestershire
WR8 0QL
UK

+44 (0)1684 593052

www.exac-one.co.uk
info@exac-one.co.uk